

Author index

Volume 105 (2000)

- Aguilella, V.M. **105**, 225
Åkerlund, B. **105**, 167
Antonopoulos, E. **105**, 31
- Bagatolli, L.A. **105**, 135
Bähr, G. **105**, 1
Bakowsky, U. **105**, 31
Barenholz, Y. **105**, 121
Barreleiro, P.C.A. **105**, 201
Bilewicz, R. **105**, 71
Billheimer, J.T. **105**, 9
Brigaud, T. **105**, 71
- Christie, W.W. **105**, 93
- Fankhaenel, S. **105**, 189
Feitosa, E. **105**, 201
Foulard, G. **105**, 71
Freisleben, H.-J. **105**, 31
- Gabriel, J.L. **105**, 193
Gallegos, A.M. **105**, 9
Grage, S. **105**, 149
Gratton, E. **105**, 135
Gürtesch, L. **105**, 189
- Hamilton, J.T.G. **105**, 93
Henkel, L. **105**, 31
Houte, H. **105**, 105
- Kier, A.B. **105**, 9
Klein, E. **105**, 215
Kley, J.T. **105**, 189
- Lacort, M. **105**, 179
Lee Gau Chong, P. **105**, 193
Lipman, A. **105**, 121
- Mafé, S. **105**, 225
Manzanares, J.A. **105**, 225
Marsh, D. **105**, 43
Martini, T. **105**, 31
Martin, C. **105**, 179
Martínez, R. **105**, 179
Massing, U. **105**, 189
Meyer, H.W. **105**, 149
Miller, N.J. **105**, 179
Moujahid, C.E. **105**, 71
Mukherjee, K.D. **105**, 215
- Navarro, R. **105**, 179
- Ohvo-Rekilä, H. **105**, 167
Olofsson, G. **105**, 201
- Parasassi, T. **105**, 135
Partali, V. **105**, 105
Pohle, W. **105**, 149
- Portella, C. **105**, 71
- Quartey, E.G.K. **105**, 105
Quinn, P.J. **105**, 149
- Rettig, W. **105**, 149
Rogalska, E. **105**, 71
Rothe, U. **105**, 31
Ruiz-Larrea, M.B. **105**, 179
- Samuni, A.M. **105**, 121
Schoer, J.K. **105**, 9
Schroeder, F. **105**, 9
Schwarz, G. **105**, 1
Selle, C. **105**, 149
Semmler, K. **105**, 149
Sliwka, H.R. **105**, 105
Slotte, J.P. **105**, 167
Starodub, O. **105**, 9
Stébé, M.-J. **105**, 71
Swamy, M.J. **105**, 43
- Ulrich, A.S. **105**, 149
- Vosmann, K. **105**, 215
- Weber, N. **105**, 215
Weis, I. **105**, 1
Welzel, P.B. **105**, 1



Subject index

Volume 105 (2000)

ABTS^{•+}; Estrogens; Total antioxidant activity; Trolox; Human low-density lipoproteins **105**, 179

Aggregation; Langmuir monolayers; Thermodynamic analysis; Novel approach; Boyle point; Fit curves **105**, 1

Analogs; Synthesis; DOTAP; Cationic lipids; Transfection; Imidazolides **105**, 189

Antioxidants; Carotenoids; Selenium; Condensation reaction; Structured lipids; Glycerolether **105**, 105

Antioxidants; Lipases; 9(10)-*S*-Tetradecyl stearic acid tetradecyl thioesters; Thioesterification; Transthioesterification; Unsaturated fatty acid thioesters **105**, 215

Atomic force microscopy; *Thermoplasma acidophilum*; Bipolar tetraether lipid; Langmuir–Blodgett films; Ellipsometry; Monomolecular lipid organization **105**, 31

Avidin; *N*-Biotinyl phosphatidylethanolamine; *N*-Acyl phosphatidylethanolamine; *N*-Acyl ethanolamine; Differential scanning calorimetry; X-Ray diffraction; ³¹P NMR; Spin-label ESR; Lipid bilayers; Non-lamellar phases; Chain melting thermodynamics; Lipid miscibility; Binary phase diagrams **105**, 43

Bilayer curvature; Saturated phosphatidylcholines; Subgel phase; Hydration protocol; Freeze-fracture electron microscopy **105**, 149

Binary phase diagrams; *N*-Biotinyl phosphatidylethanolamine; *N*-Acyl phosphatidylethanolamine; *N*-Acyl ethanolamine; Avidin; Differential scanning calorimetry; X-Ray diffraction; ³¹P NMR; Spin-label ESR; Lipid bilayers; Non-lamellar phases; Chain melting thermodynamics; Lipid miscibility **105**, 43

Bipolar tetraether lipid; *Thermoplasma acidophilum*; Langmuir–Blodgett films; Ellipsometry; Atomic force microscopy; Monomolecular lipid organization **105**, 31

Boyle point; Langmuir monolayers; Thermodynamic analysis; Novel approach; Aggregation; Fit curves **105**, 1

Carotenoids; Selenium; Condensation reaction; Antioxidants; Structured lipids; Glycerolether **105**, 105

Cationic lipids; Synthesis; DOTAP; Analogs; Transfection; Imidazolides **105**, 189

Chain melting thermodynamics; *N*-Biotinyl phosphatidylethanolamine; *N*-Acyl phosphatidylethanolamine; *N*-Acyl ethanolamine; Avidin; Differential scanning calorimetry; X-Ray diffraction; ³¹P NMR; Spin-label ESR; Lipid bilayers; Non-lamellar phases; Lipid miscibility; Binary phase diagrams **105**, 43

Cholestatrienol; Desorption kinetics; Dehydroergosterol; Phospholipid **105**, 167

Cholesterol; Sterol carrier protein-2; Lysosome; Mitochondria; Membrane **105**, 9

Condensation reaction; Carotenoids; Selenium; Antioxidants; Structured lipids; Glycerolether **105**, 105

Cyclopentane rings; Tetraether lipids; Interaction energy; Thermoacidophiles; *Sulfolobus acidocaldarius* **105**, 193

Degree of dissociation; Lipid monolayer; Double layer potential; Surface potential **105**, 225

Dehydroergosterol; Desorption kinetics; Cholestatrienol; Phospholipid **105**, 167

Derivatives of D-mannitol; Fluorinated surfactants; Monomolecular films; Langmuir isotherms; Gibbs isotherms **105**, 71

Desorption kinetics; Dehydroergosterol; Cholestatrienol; Phospholipid **105**, 167

- Differential scanning calorimetry;** *N*-Biotinyl phosphatidylethanolamine; *N*-Acyl phosphatidylethanolamine; *N*-Acyl ethanolamine; Avidin; X-Ray diffraction; ^{31}P NMR; Spin-label ESR; Lipid bilayers; Non-lamellar phases; Chain melting thermodynamics; Lipid miscibility; Binary phase diagrams **105, 43**
- Differential scanning calorimetry;** Transition temperature; Sonicated vesicles; Non-sonicated vesicles; Extruded vesicles **105, 201**
- 4,4-dimethyloxazoline;** Mass spectrometry; Fatty acid; Picolinyl ester **105, 93**
- DOTAP;** Synthesis; Analogs; Cationic lipids; Transfection; Imidazolides **105, 189**
- Double layer potential;** Lipid monolayer; Degree of dissociation; Surface potential **105, 225**
- Ellipsometry;** *Thermoplasma acidophilum*; Bipolar tetraether lipid; Langmuir-Blodgett films; Atomic force microscopy; Monomolecular lipid organization **105, 31**
- Estrogens;** ABTS $^{+}$; Total antioxidant activity; Trolox; Human low-density lipoproteins **105, 179**
- Extruded vesicles;** Differential scanning calorimetry; Transition temperature; Sonicated vesicles; Non-sonicated vesicles **105, 201**
- Fatty acid;** Mass spectrometry; Picolinyl ester; 4,4-dimethyloxazoline **105, 93**
- Fit curves;** Langmuir monolayers; Thermodynamic analysis; Novel approach; Boyle point; Aggregation **105, 1**
- Fluorinated surfactants;** Derivatives of D-mannitol; Monomolecular films; Langmuir isotherms; Gibbs isotherms **105, 71**
- Freeze-fracture electron microscopy;** Saturated phosphatidylcholines; Subgel phase; Bilayer curvature; Hydration protocol **105, 149**
- Generalized polarization;** Giant unilamellar vesicles; 6-Lauroyl-2-(*N,N*-dimethylamino)naphthalene; Unilamellar **105, 135**
- Giant unilamellar vesicles;** 6-Lauroyl-2-(*N,N*-dimethylamino)naphthalene; Generalized polarization; Unilamellar **105, 135**
- Gibbs isotherms;** Fluorinated surfactants; Derivatives of D-mannitol; Monomolecular films; Langmuir isotherms **105, 71**
- Glycerolether;** Carotenoids; Selenium; Condensation reaction; Antioxidants; Structured lipids **105, 105**
- Human low-density lipoproteins;** ABTS $^{+}$; Estrogens; Total antioxidant activity; Trolox **105, 179**
- Hydration protocol;** Saturated phosphatidylcholines; Subgel phase; Bilayer curvature; Freeze-fracture electron microscopy **105, 149**
- Imidazolides;** Synthesis; DOTAP; Analogs; Cationic lipids; Transfection **105, 189**
- Interaction energy;** Tetraether lipids; Cyclopentane rings; Thermoacidophiles; *Sulfolobus acidocaldarius* **105, 193**
- Langmuir-Blodgett films;** *Thermoplasma acidophilum*; Bipolar tetraether lipid; Ellipsometry; Atomic force microscopy; Monomolecular lipid organization **105, 31**
- Langmuir isotherms;** Fluorinated surfactants; Derivatives of D-mannitol; Monomolecular films; Gibbs isotherms **105, 71**
- Langmuir monolayers;** Thermodynamic analysis; Novel approach; Boyle point; Aggregation; Fit curves **105, 1**
- 6-Lauroyl-2-(*N,N*-dimethylamino)naphthalene;** Giant unilamellar vesicles; Generalized polarization; Unilamellar **105, 135**
- Lipases;** Antioxidants; 9(10)-*S*-Tetradecyl stearic acid tetradecyl thioesters; Thioesterification; Transthiioesterification; Unsaturated fatty acid thioesters **105, 215**
- Lipid bilayers;** *N*-Biotinyl phosphatidylethanolamine; *N*-Acyl phosphatidylethanolamine; *N*-Acyl ethanolamine; Avidin; Differential scanning calorimetry; X-Ray diffraction; ^{31}P NMR; Spin-label ESR; Non-lamellar phases; Chain melting thermodynamics; Lipid miscibility; Binary phase diagrams **105, 43**
- Lipid miscibility;** *N*-Biotinyl phosphatidylethanolamine; *N*-Acyl phosphatidylethanolamine; *N*-Acyl ethanolamine; Avidin; Differential scanning calorimetry; X-Ray diffraction; ^{31}P NMR; Spin-label ESR; Lipid bilayers; Non-lamellar phases; Chain melting thermodynamics; Binary phase diagrams **105, 43**
- Lipid monolayer;** Double layer potential; Degree of dissociation; Surface potential **105, 225**
- Lipid peroxidation;** Liposomes; Stability; Tempol; Nitroxides; Vitamin E **105, 121**
- Liposomes;** Stability; Tempol; Nitroxides; Lipid peroxidation; Vitamin E **105, 121**
- Lysosome;** Sterol carrier protein-2; Mitochondria; Membrane; Cholesterol **105, 9**
- Mass spectrometry;** Fatty acid; Picolinyl ester; 4,4-dimethyloxazoline **105, 93**

- Membrane**; Sterol carrier protein-2; Lysosome; Mitochondria; Cholesterol **105**, 9
- Mitochondria**; Sterol carrier protein-2; Lysosome; Membrane; Cholesterol **105**, 9
- Monomolecular films**; Fluorinated surfactants; Derivatives of D-mannitol; Langmuir isotherms; Gibbs isotherms **105**, 71
- Monomolecular lipid organization**; *Thermoplasma acidophilum*; Bipolar tetraether lipid; Langmuir-Blodgett films; Ellipsometry; Atomic force microscopy **105**, 31
- N-Acyl ethanolamine**; *N*-Biotinyl phosphatidylethanolamine; *N*-Acyl phosphatidylethanolamine; Avidin; Differential scanning calorimetry; X-Ray diffraction; ^{31}P NMR; Spin-label ESR; Lipid bilayers; Non-lamellar phases; Chain melting thermodynamics; Lipid miscibility; Binary phase diagrams **105**, 43
- N-Acyl phosphatidylethanolamine**; *N*-Biotinyl phosphatidylethanolamine; *N*-Acyl ethanolamine; Avidin; Differential scanning calorimetry; X-Ray diffraction; ^{31}P NMR; Spin-label ESR; Lipid bilayers; Non-lamellar phases; Chain melting thermodynamics; Lipid miscibility; Binary phase diagrams **105**, 43
- N-Biotinyl phosphatidylethanolamine**; *N*-Acyl phosphatidylethanolamine; *N*-Acyl ethanolamine; Avidin; Differential scanning calorimetry; X-Ray diffraction; ^{31}P NMR; Spin-label ESR; Lipid bilayers; Non-lamellar phases; Chain melting thermodynamics; Lipid miscibility; Binary phase diagrams **105**, 43
- Nitroxides**; Liposomes; Stability; Tempol; Lipid peroxidation; Vitamin E **105**, 121
- Non-lamellar phases**; *N*-Biotinyl phosphatidylethanolamine; *N*-Acyl phosphatidylethanolamine; *N*-Acyl ethanolamine; Avidin; Differential scanning calorimetry; X-Ray diffraction; ^{31}P NMR; Spin-label ESR; Lipid bilayers; Chain melting thermodynamics; Lipid miscibility; Binary phase diagrams **105**, 43
- Non-sonicated vesicles**; Differential scanning calorimetry; Transition temperature; Sonicated vesicles; Extruded vesicles **105**, 201
- Novel approach**; Langmuir monolayers; Thermodynamic analysis; Boyle point; Aggregation; Fit curves **105**, 1
- Phospholipid**; Desorption kinetics; Dehydroergosterol; Cholestatrienol **105**, 167
- Picolinyl ester**; Mass spectrometry; Fatty acid; 4,4-dimethyloxazoline **105**, 93
- ^{31}P NMR**; *N*-Biotinyl phosphatidylethanolamine; *N*-Acyl phosphatidylethanolamine; *N*-Acyl ethanolamine; Avidin; Differential scanning calorimetry; X-Ray diffraction; Spin-label ESR; Lipid bilayers; Non-lamellar phases; Chain melting thermodynamics; Lipid miscibility; Binary phase diagrams **105**, 43
- Saturated phosphatidylcholines**; Subgel phase; Bilayer curvature; Hydration protocol; Freeze-fracture electron microscopy **105**, 149
- Selenium**; Carotenoids; Condensation reaction; Antioxidants; Structured lipids; Glycerolether **105**, 105
- Sonicated vesicles**; Differential scanning calorimetry; Transition temperature; Non-sonicated vesicles; Extruded vesicles **105**, 201
- Spin-label ESR**; *N*-Biotinyl phosphatidylethanolamine; *N*-Acyl phosphatidylethanolamine; *N*-Acyl ethanolamine; Avidin; Differential scanning calorimetry; X-Ray diffraction; ^{31}P NMR; Lipid bilayers; Non-lamellar phases; Chain melting thermodynamics; Lipid miscibility; Binary phase diagrams **105**, 43
- Stability**; Liposomes; Tempol; Nitroxides; Lipid peroxidation; Vitamin E **105**, 121
- Sterol carrier protein-2**; Lysosome; Mitochondria; Membrane; Cholesterol **105**, 9
- 9(10)-S-Tetradecyl stearic acid tetradecyl thioesters**; Antioxidants; Lipases; Thioesterification; Transthioesterification; Unsaturated fatty acid thioesters **105**, 215
- Structured lipids**; Carotenoids; Selenium; Condensation reaction; Antioxidants; Glycerolether **105**, 105
- Subgel phase**; Saturated phosphatidylcholines; Bilayer curvature; Hydration protocol; Freeze-fracture electron microscopy **105**, 149
- Sulfolobus acidocaldarius***; Tetraether lipids; Interaction energy; Cyclopentane rings; Thermoacidophiles **105**, 193
- Surface potential**; Lipid monolayer; Double layer potential; Degree of dissociation **105**, 225
- Synthesis**; DOTAP; Analogs; Cationic lipids; Transfection; Imidazolides **105**, 189
- Tempol**; Liposomes; Stability; Nitroxides; Lipid peroxidation; Vitamin E **105**, 121
- Tetraether lipids**; Interaction energy; Cyclopentane rings; Thermoacidophiles; *Sulfolobus acidocaldarius* **105**, 193

Thermoacidophiles; Tetraether lipids; Interaction energy; Cyclopentane rings; *Sulfolobus acidocaldarius* **105**, 193

Thermodynamic analysis; Langmuir monolayers; Novel approach; Boyle point; Aggregation; Fit curves **105**, 1

***Thermoplasma acidophilum*;** Bipolar tetraether lipid; Langmuir-Blodgett films; Ellipsometry; Atomic force microscopy; Monomolecular lipid organization **105**, 31

Thioesterification; Antioxidants; Lipases; 9(10)-*S*-Tetradecyl stearic acid tetradecyl thioesters; Transthoesterification; Unsaturated fatty acid thioesters **105**, 215

Total antioxidant activity; ABTS^{•+}; Estrogens; Trolox; Human low-density lipoproteins **105**, 179

Transfection; Synthesis; DOTAP; Analogs; Cationic lipids; Imidazolides **105**, 189

Transition temperature; Differential scanning calorimetry; Sonicated vesicles; Non-sonicated vesicles; Extruded vesicles **105**, 201

Transthoesterification; Antioxidants; Lipases; 9(10)-*S*-Tetradecyl stearic acid tetradecyl thioesters; Thioesterification; Unsaturated fatty acid thioesters **105**, 215

Trolox; ABTS^{•+}; Estrogens; Total antioxidant activity; Human low-density lipoproteins **105**, 179

Unilamellar; Giant unilamellar vesicles; 6-Lauroyl-2-(*N,N*-dimethylamino)naphtalene; Generalized polarization **105**, 135

Unsaturated fatty acid thioesters; Antioxidants; Lipases; 9(10)-*S*-Tetradecyl stearic acid tetradecyl thioesters; Thioesterification; Transthoesterification **105**, 215

Vitamin E; Liposomes; Stability; Tempol; Nitroxides; Lipid peroxidation **105**, 121

X-Ray diffraction; *N*-Biotinyl phosphatidylethanolamine; *N*-Acyl phosphatidylethanolamine; *N*-Acyl ethanolamine; Avidin; Differential scanning calorimetry; ³¹P NMR; Spin-label ESR; Lipid bilayers; Non-lamellar phases; Chain melting thermodynamics; Lipid miscibility; Binary phase diagrams **105**, 43

